



Benchmark Example No. 56

Interface element

SOFiSTiK | 2024

VERIFICATION BE56 Interface element

VERiFiCATiON Manual, Service Pack 2024-4 Build 27

Copyright $\ensuremath{\textcircled{C}}$ 2024 by SOFiSTiK AG, Nuremberg, Germany.

SOFISTIK AG

HQ Nuremberg Flataustraße 14 90411 Nürnberg Germany

T +49 (0)911 39901-0 F +49(0)911 397904 Office Garching Parkring 2 85748 Garching bei München Germany

> T +49 (0)89 315878-0 F +49 (0)89 315878-23

info@sofistik.com www.sofistik.com

This manual is protected by copyright laws. No part of it may be translated, copied or reproduced, in any form or by any means, without written permission from SOFiSTiK AG. SOFiSTiK reserves the right to modify or to release new editions of this manual.

The manual and the program have been thoroughly checked for errors. However, SOFiSTiK does not claim that either one is completely error free. Errors and omissions are corrected as soon as they are detected.

The user of the program is solely responsible for the applications. We strongly encourage the user to test the correctness of all calculations at least by random sampling.

Front Cover 6th Street Viaduct, Los Angeles Photo: Tobias Petschke



Overview	
Element Type(s):	C2D
Analysis Type(s):	MNL
Procedure(s):	
Topic(s):	Interface Element
Module(s):	SOFIMSHC, TALPA
Input file(s):	interface_elements.dat

1 Problem Description

The following example is focused on verifying the interface element which can be used to model the contact behaviour in a geotechnical model. In the example according to [1] interface elements are simulating the contact between a long elastic block on a rigid foundation. The block is subjected to pressure p at one vertical side, while being restrained at the other end, and no strain is permitted in the y direction (Figure 1).



Figure 1: Long elastic block on a rigid foundation

2 Reference Solution

The distribution of shear stress along the interface between x = 0 and $x = x_1$, where x_1 is the point at which the shear stress reaches its maximum level, is given analytically by [1]:

$$\tau(x) = \frac{k_s m_v}{\alpha} \cdot \frac{e^{ax} - e^{-ax}}{e^{ax_1} - e^{-ax_1}} \cdot \left[pH - \tau_{max}(L - x_1) \right]$$
(1)

where

 $m_{\nu} = \frac{(1+\nu)(1-2\nu)}{E(1+\nu)}$ $\alpha = \sqrt{\frac{k_{s}m_{\nu}}{H}}$ k_{s} shear stiffness parameter, ν Poisson's ratio,



E	Elastic modulus,	
p	pressure applied at $x = L$,	
$ au_{max}$	maximum shear stress (cohesion)	
Н	height of the elastic block,	
L	length of the elastic block	

For the slipping portion of the block, between $x = x_1$ and x = L, the shear stress is constant, i.e. $\tau = \tau_{max}$.

The point $x = x_1$ is calculated iteratively by applying the Newton Raphson iterative scheme for the following equation [1, 2]:

$$\frac{e^{ax} + e^{-ax}}{e^{ax_1} - e^{-ax_1}} + \alpha(L - x_1) - \frac{p\alpha H}{\tau_{max}} = 0$$
⁽²⁾

3 Model and Results

Material, geometry and loading properties of the model are summarized in the Table 1. To satisfy the required condition of no strain in the *y* direction the normal stiffness of the interface elements, i.e. the elastic constant normal to the interface surface c_s is defined with a relatively high value. Plane strain conditions are assumed, and nonlinear analysis is performed with loading being increased in increments of 2.5 kPa up to 400 kPa.

Table 1: Model Properties

Material	Geometry	Loading
Elastic block:		Increments of 2.5 kPa
$E = 100 MPa$, $\nu = 0.0$	L = 10.0 m, H = 1.0 m	up to 400 <i>kPa</i>
Interface elements:		
$k_s = c_t = 10^4 kN/m^3$	Thickness of 0.01 m	
$\tau_{max} = coh = 30 kN/m^2$		
$c_s = 10^7 kN/m^3$		

The shear stress distribution along the interface length is plotted in Figure 2, and verified with respect to the formulas provided in Section 2 for the loading levels of 100, 200, 300 and 400 kPa. Furthermore, the longitudinal displacement distribution at the bottom of the elastic block is compared with the results of the finite element analysis provided by [1] (Figure 3).





Figure 2: Interface shear stress distribution



Figure 3: Longitudinal displacement distribution at the bottom of the elastic block

When comparing the numerical results in Figure 2 with the analytical solution a slight difference can be noticed. It should be noted that the analytical solution provided in Section 2 is not exact since it is based on the assumption that the normal stresses are constant along the height of the elastic block [1].



In reality, the normal stress will be higher near the unrestrained upper boundary compared to the lower one, which can be seen in Figure 4 for a distance of 2 *m* from the restrained vertical face of the elastic block.



Figure 4: Stress distribution along the height of the block, at x = 2.0 [m]

4 Conclusion

A good agreement between the reference solution and the numerical results calculated by SOFiSTiK verifies the implementation of the interface element.

5 Literature

- [1] C.C. Hird and D. Russell. "A Benchmark for Soil-Structure interface Elements". In: *Computers and Geotechnics* (1990).
- [2] R.C. Barros et al. "A Benchmark for Soil-Structure interface Elements". In: *Proceedings of the XXXVIII Iberian Latin-American Congress on Computational Methods in Engineering* (2017).