



Benchmark Example No. 55

Design elements and SOFiSTiK T-beam Philosophy

SOFiSTiK | 2018

VERiFiCATION MANUAL
BE55: Design elements and SOFiSTiK T-beam Philosophy

VERiFiCATION MANUAL, Version 2018-7
Software Version: SOFiSTiK 2018

Copyright © 2018 by SOFiSTiK AG, Oberschleissheim, Germany.

SOFiSTiK AG

HQ Oberschleissheim
Bruckmannring 38
85764 Oberschleissheim
Germany

T +49 (0)89 315878-0
F +49 (0)89 315878-23

info@sofistik.com
www.sofistik.com

Office Nuremberg
Burgschmietstr. 40
90419 Nuremberg
Germany

T +49 (0)911 39901-0
F +49(0)911 397904

This manual is protected by copyright laws. No part of it may be translated, copied or reproduced, in any form or by any means, without written permission from SOFiSTiK AG. SOFiSTiK reserves the right to modify or to release new editions of this manual.

The manual and the program have been thoroughly checked for errors. However, SOFiSTiK does not claim that either one is completely error free. Errors and omissions are corrected as soon as they are detected.

The user of the program is solely responsible for the applications. We strongly encourage the user to test the correctness of all calculations at least by random sampling.

Front Cover

Project: New SOFiSTiK Office, Nuremberg | Contractor: WOLFF & MLLER, Stuttgart | Architecture: WABE-PLAN ARCHITEKTUR, Stuttgart |
Structural Engineer: Boll und Partner. Beratende Ingenieure VBI, Stuttgart | MEP: GM Planen + Beraten, Griesheim | Lead Architect: Gerhard P.
Wirth gpwirtharchitekten, Nuremberg | Visualisation: Armin Dariz, BiMOTiON GmbH

Overview

Element Type(s):	B3D, SH3D
Analysis Type(s):	Linear
Procedure(s):	
Topic(s):	Design Elements
Module(s):	ASE, DECREATOR
Input file(s):	designElements_tbeamphilosophy.dat

1 Problem Description

This verification sets a benchmark for Design Elements in SOFiSTiK 2018 at the analysis level. Results are compared with those of the existing SOFiSTiK T-Beam Philosophy, and a reference analytical solution.

2 Reference Solution

As an example, the solution of the bending moment at the middle support $M_{y,s}$ of a two span continuous T-beam system shown in figure 1 is considered. The effective width of the beam is the determining parameter. The exact analytical value of the support moment is given by:

$$M_{y,s} = \frac{wl^2}{8} \quad (1)$$




Figure 1: Reference system: continuous beam and its bending moment distribution

For bending design of a T-beam, analysis can be done in the module ASE using the SOFiSTiK T-beam Philosophy [1, 2, 3, 4]. Accordingly, the resulting bending moment $M_{y,Tbeam}$ is calculated by multiplying the effective width b_{eff} with the nodal value of the plate elements that is computed by averaging some of the nodal values of the plates the at the support (eg. $m_{y,avg.} = (m_1 + m_2 + m_3)/3$), then adding

the remaining moment carried by the beam element $M_{y,beam}$. That is:

$$M_{y,Tbeam} = M_{y,beam} + m_{y,avg} \cdot b_{eff} \quad (2)$$

3 Model and Results

The wide flange of the continuous T-beam is modeled with quad elements. In addition, a centric beam with a T-cross section is embedded at the center of the flange. A uniformly distributed area load is then applied over the flange. To supplement the comparison, three variations of this model are made, in which only the effective width is altered.




Figure 2: Sectional layout of a T-beam FE-model according to the T-beam Philosophy in SOFiSTiK

In contrast to the SOFiSTiK T-Beam Philosophy stated in equation 2, the bending moment calculation by Design Elements takes the integral of all the nodal values covered within the effective width, then adds the remaining beam moment. This improves the approximation, and can be put as:

$$M_{y,Tbeam} = M_{y,beam} + \int_0^{b_{eff}} m_{y,p}(l) dl \quad (3)$$

Figure 3 illustrates this difference.




Figure 3: Consideration of the actual support bending moment distribution across the plate elements in T-beam Philosophy (left) and Design Elements

As a result, applying the T-beam Philosophy on a model with a larger effective width, the error in the support bending moment is more pronounced (see table 1). However, the results of the Design Elements, as one may expect, remain well approximate for all effective widths. In this example, larger widths were so chosen that the deviations could clearly be illustrated.

Table 1: Comparison of support moments for varying effective widths

Effective Widths $b_{eff,i}$ [m]	1.0	2.0	4.0
Ref. [kNm]	-32.4	-64.8	-129.6
SOF. T-Beam Phil. [kNm]	-32.2	-66.2	-148.8
e [%]	0.6	2.0	10.0
Design Elements [kNm]	-32.0	-64.0	-129.3
e [%]	1.2	1.2	0.2

4 Conclusion

In case of a flexural design of a finite element structural model consisting T-beams, the results using the Design Elements and the SOFiSTiK T-beam Philosophy match that of the exact analytical solution up to a certain effective width. The design elements however always ensure more approximate results regardless of the effective width.

5 Literature

- [1] C. Katz and J. Stieda. *Praktische FE-Berechnungen mit Plattenbalken*. Bauinformatik 1, 1992.
- [2] W. Wunderlich, G. Kiener, and W. Ostermann. *Modellierung und Berechnung von Deckenplatten mit Unterzügen*. Bauingenieur, 1994.
- [3] J. Bellmann. *Vorgespannte schiefwinklige Plattenbalkenbrücke*. 7. SOFiSTiK Seminar, 1994.
- [4] C. Katz. *Neues zu Plattenbalken*. 7. SOFiSTiK Seminar, 1994.